

VisIt - Bug # 1339: How do I track why VisIt fails to start?

Status:	New	Priority:	Normal
Author:	Sergiy Bubin	Category:	
Created:	02/15/2013	Assigned to:	
Updated:	02/15/2013	Due date:	
Likelihood:	5 - Always		
Severity:	4 - Crash / Wrong Results		
Found in Version:	2.5.2		
OS:	Linux		
Support Group:	Any		
Subject:	How do I track why VisIt fails to start?		
Description:	<p>Hi,</p> <p>I have been using VisIt 2.5.2 and 2.3.2 and they both worked fine on my Kubuntu 12.04 64-bit machine. Then some time ago I started getting the following:</p> <p>Running: gui2.5.2 Running: viewer2.5.2 -host 127.0.0.1 -port 5600 -geometry 1285x1163+635+0 -borders 24,8,8,8 -shift 8,24 -preshift 0,0 -defer Running: mdserver2.5.2 -host 127.0.0.1 -port 5601 Aborted (core dumped)</p> <p>The VisIt screen appears for a short time but then it closes. Where do I look to find out why exactly it fails to start?</p> <p>The executables for both versions I have been using were downloaded from VisIt's website (Ubuntu 11.04, ubuntu1104-64.lnl.gov 2.6.38-8-generic #42-Ubuntu SMP, gcc 4.5.2), I did not compile them.</p> <p>Thanks, Sergiy</p>		

History
